

Use only as directed.

- Monthly applications are recommended where there is a high risk of re-infestation, if the pet is allergic to fleas, or in situations where tick control is needed.
- For this control to be effective all dogs and cats in the household should be treated.
- FRONTLINE PLUS (DOGS) may be used on pregnant and lactating females and on unweaned puppies from 8 weeks and older.
- By application onto the skin.
- One (1) pipette of 0.67 mℓ per dog (up to 10 kg); one (1) pipette of 1.34 mℓ per dog (10 to 20 kg); one (1) pipette of 2.68 mℓ per dog (20 to 40 kg); one (1) pipette of 4.02 mℓ per dog (heavier than 40 kg).

METHOD OF APPLICATION

- Bathing or shampooing the animal 3 days before or 3 days after the application is not recommended as this will decrease the duration of activity.
- Break the snap-off top from the pipette along the dotted line.
- Part the hair between the shoulder blades until the skin is visible.
- Place the tip of the pipette on the skin and squeeze several times to empty the contents directly onto the skin.
- Care should be taken to avoid excessive wetting of the hair since this will impart a sticky appearance to the hair at the treatment spot. However, should this occur, it will disappear within 24 hours post application. The active ingredients (fipronil and (s)-methoprene) will spread over the coat of the animal within 24 hours.