

Use only as directed.

Depending on the body mass of the dog, practical dosing is as follows:

<b>Body mass of dog</b>	<b>Milbemax™ Chewable Tablets for Puppies and Small Dogs 1-5 kg</b>
1-5 kg	1 tablet
5-10 kg	2 tablets
10-15 kg	3 tablets
15-20 kg	4 tablets
20-25 kg	5 tablets
<b>Body mass of dog</b>	<b>Milbemax™ Chewable Tablets for Dogs More Than 5 kg</b>
5-25 kg	1 tablet
25-50 kg	2 tablets
50-75 kg	3 tablets

**Milbemax™ Chewable** should be administered as a single dose.

**Milbemax™ Chewable** should be administered with or after food for maximum efficacy.

**Milbemax™ Chewable** may be used in pregnant and lactating bitches and for breeding dogs. Nursing bitches should be treated at the same time as their puppies.

**For routine Nematode and Cestode Treatment:** Puppy deworming schedule is recommended at 6, 8, 10, 12 weeks and then monthly until 6 months old. In puppies weighing more than 500 g, deworming can be started at 2 and 4 weeks of age with **Milbemax™** Puppy and Small Dog Tablets (G3187 Act 36/1947). Adult dogs should be treated at least 4 times per year.

<b>Body mass of dog</b>	<b>Milbemax™ Chewable Tablets for Puppies and Small Dogs 1-5 kg</b>
1-5 kg	1 tablet
5-10 kg	2 tablets
10-15 kg	3 tablets
15-20 kg	4 tablets
20-25 kg	5 tablets
<b>Body mass of dog</b>	<b>Milbemax™ Chewable Tablets for Dogs More Than 5 kg</b>
5-25 kg	1 tablet
25-50 kg	2 tablets
50-75 kg	3 tablets